

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	968	ferroelectric and (capacitor\$1 same switch\$3) and (pulse\$1 same voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:12
L2	276	ferroelectric and (capacitor\$1 same switch\$3) and (pulse\$1 same voltage\$1 same negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:11
L3	130	ferroelectric and (capacitor\$1 same switch\$3) and (pulse\$1 same voltage\$1 same magnitude\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:11
L4	46	ferroelectric and (capacitor\$1 same switch\$3) and (pulse\$1 same voltage\$1 same magnitude\$1 same negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:11
L5	50	ferroelectric and (capacitor\$1 same switch\$3) and (pulse\$1 same voltage\$1 same negative same plate\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:11
L6	1	ferroelectric and (capacitor\$1 same switch\$3) and (pulse\$1 same voltage\$1) and ('zero' with cancell\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:13
L7	383	1 and ("365"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:13
L8	138	2 and ("365"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:13
L9	69	3 and ("365"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 09:13

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(method\$1 and ferroelectric and capacitor\$1 and voltage\$1 and ((plate near line\$1) or plateline\$1) and tim\$3 and cancell\$5).clm.	US-PGPUB	OR	OFF	2005/09/01 17:08
L2	1	(capacitor\$1 and switch\$3 and voltage\$1 and ((plate near line\$1) or plateline\$1) and pulse\$1 and cancell\$5).clm.	US-PGPUB	OR	OFF	2005/09/01 17:11
L3	1	(ferroelectric and capacitor\$1 and switch\$3 and voltage\$1 and ((plate near line\$1) or plateline\$1) and pulse\$1 and cancell\$5).clm.	US-PGPUB	OR	OFF	2005/09/01 17:12